

Illustrating **HIV/AIDS** in the United States

Southeastern United States

2012 Update



About AIDSVu

AIDSVu is a compilation of interactive, online maps that allows users to visually explore the HIV epidemic in the U.S. alongside critical resources such as HIV testing and treatment center locations.


AIDSVu's mission is to make HIV prevalence data widely accessible and locally relevant.

AIDSVu provides users with an intuitive, visual way to connect with complex information about persons living with an HIV diagnosis at national, state and local levels.

Interactive Maps

National, State, and Local Maps

- Persons living with an HIV diagnosis by state, county, ZIP code and census tract
- Social determinants of health (e.g., poverty, lack of health insurance, educational attainment)
- HIV transmission modes
- HIV testing and treatment center locations
- NIH-funded HIV Prevention, Vaccine & Treatment Trials Sites




State Profiles

- State demographics
- HIV prevalence rate ratios by race/ethnicity
- HIV transmission modes, late diagnoses and mortality data
- HIV/AIDS federal grant funding and programs
- STD quick facts
- Website links for state-level HIV/AIDS resources

State Profile: Georgia

Sexually Transmitted Diseases (2010)



Other AIDSVu Features

HIV Testing Site Locator

- CDC National Prevention Information Network
- Search by ZIP code or city & state

HIV Treatment Site Locator

- Ryan White HIV/AIDS Medical Care Providers
- Search by ZIP code or city & state

Downloadable Resources

- Slide decks with high-resolution maps
- Data sets

HIV Treatment Site Locator (Ryan White HIV/AIDS Medical Care Providers)

Washington, DC

Search

Input your location above to search


Can't find a place near you?

Carl Vogel Center
1012 14th St NW
Washington, DC 20005-3403
Phone: 202-638-0750
0.56 miles

Whitman-Walker Clinic - Elizabeth Taylor Medical Center
1701 14th St NW
Washington, DC 20009-4308
Phone: 202-745-7000
1.22 miles

Unity Health Care, Inc.
850 Delaware Ave SW
Washington, DC 20024-4208
Phone: 202-548-4520
1.66 miles

Christ House
1717 Columbia Rd NW
Washington, DC 20009-2803



The map displays the city of Washington, DC, with various streets and landmarks labeled. Red icons, representing HIV treatment sites, are scattered across the city. Notable locations include the National Mall and Memorial Parks, the US Marine Corps War Memorial, and the United States Capitol Complex. The map also shows major highways like I-495 and I-275. The interface includes a search bar at the top, a list of search results on the left, and a map on the right. The map data is attributed to Google, 2012.

AIDSVu: Supporting the National HIV/AIDS Strategy


- Prevent new HIV infections
- Improve linkage to prevention, care and treatment
- Reduce HIV-related health disparities

A NATIONAL HIV/AIDS
STRATEGY FOR THE
UNITED STATES

JULY 2010



Rates of Persons Living with an HIV Diagnosis, by County, Southeastern U.S., 2010




* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Black Persons Living with an HIV Diagnosis, by County, Southeastern U.S., 2010




* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of White Persons Living with an HIV Diagnosis, by County, Southeastern U.S., 2010




* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Hispanic/Latino Persons Living with an HIV Diagnosis, by County, Southeastern U.S., 2010




* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.


Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Black & White Persons Living with an HIV Diagnosis, by County, Southeastern U.S., 2010


Black Rates




2010 Rate of adults/adolescents living with an HIV diagnosis per 100,000 population



White Rates



2010 Rate of adults/adolescents living with an HIV diagnosis per 100,000 population




* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.


Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Hispanic/Latino & White Persons Living with an HIV Diagnosis, by County, Southeastern U.S., 2010


Hispanic/Latino Rates




2010 Rate of adults/adolescents living with an HIV diagnosis per 100,000 population



White Rates



2010 Rate of adults/adolescents living with an HIV diagnosis per 100,000 population




* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Persons Aged 13-24 Living with an HIV Diagnosis, by County, Southeastern U.S., 2010




* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Persons Aged 25-34 Living with an HIV Diagnosis, by County, Southeastern U.S., 2010




* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Persons Aged 35-44 Living with an HIV Diagnosis, by County, Southeastern U.S., 2010




* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Persons Aged 45-54 Living with an HIV Diagnosis, by County, Southeastern U.S., 2010




* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Persons Aged 55 & Older Living with an HIV Diagnosis, by County, Southeastern U.S., 2010




* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Males Living with an HIV Diagnosis, by County, Southeastern U.S., 2010




* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Females Living with an HIV Diagnosis, by County, Southeastern U.S., 2010




* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.


Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Persons Living with an HIV Diagnosis & Poverty Rates, by County, Southeastern U.S., 2010


Persons Living with an HIV Diagnosis




2010 Rate of adults/adolescents living with an HIV diagnosis per 100,000 population



Poverty Rates



% of Population Living in Poverty, 2010




* Data are not shown to protect privacy. ** State health department requested not to release data. † Data not available because the data source does not publish these data for this jurisdiction.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.


Data Sources: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention. U.S. Census Bureau, Small Area Income and Poverty Estimates.

Rates of Persons Living with an HIV Diagnosis & Percent of Population with High School Education, by County, Southeastern U.S., 2010


Persons Living with an HIV Diagnosis




2010 Rate of adults/adolescents living with an HIV diagnosis per 100,000 population



Percent with High School Education



% of Population with High School Degree or Equivalent, 2010




* Data are not shown to protect privacy. ** State health department requested not to release data. † Data not available because the data source does not publish these data for this jurisdiction.

Notes. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting. High school education data is only inclusive of persons aged 25 and older.


Data Sources: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention. U.S. Census Bureau, American Community Survey 5-Year Estimates, 2006-2010.

Rates of Persons Living with an HIV Diagnosis & Median Household Income, by County, Southeastern U.S., 2010


Persons Living with an HIV Diagnosis




2010 Rate of adults/adolescents living with an HIV diagnosis per 100,000 population



Median Household Income



Median Household Income, 2010




* Data are not shown to protect privacy. ** State health department requested not to release data. † Data not available because the data source does not publish these data for this jurisdiction.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.


Data Sources: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention. U.S. Census Bureau, Small Area Income and Poverty Estimates.

Rates of Persons Living with an HIV Diagnosis & Percent of Population without Health Insurance, by County, Southeastern U.S., 2010


Persons Living with an HIV Diagnosis




2010 Rate of adults/adolescents living with an HIV diagnosis per 100,000 population



Population without Health Insurance



% Lacking Health Insurance, 2010




* Data are not shown to protect privacy. ** State health department requested not to release data. † Data not available because the data source does not publish these data for this jurisdiction.

Notes. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting. Health insurance data is only inclusive of persons aged 65 and younger.


Data Sources: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention. U.S. Census Bureau, Small Area Health Insurance Estimates.

Rates of Persons Living with an HIV Diagnosis & Income Inequality (Gini Coefficient), by County, Southeastern U.S., 2010


Persons Living with an HIV Diagnosis




2010 Rate of adults/adolescents living with an HIV diagnosis per 100,000 population



Income Inequality



Gini Coefficient (Measure of Income Inequality), 2010



* Data are not shown to protect privacy. ** State health department requested not to release data. † Data not available because the data source does not publish these data for this jurisdiction.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Sources: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention. U.S. Census Bureau, American Community Survey 5-Year Estimates, 2006-2010.

Caveats & Limitations of AIDSVu Maps

- Data on AIDSVu may differ from data released in state and local HIV surveillance reports.
- Maps are inclusive of incarcerated persons and should be interpreted with caution.
- AIDSVu maps do not reflect undiagnosed cases.
- Caution should be exercised when comparing maps because the scales change when viewing data overall and by race/ethnicity, sex and age group breakdowns.

Additional Resources

For maps of state-level data that include HIV and other sexually transmitted infections (STIs), visit the CDC's National Center for HIV/AIDS, Viral Hepatitis, STD and TB Prevention (NCHHSTP) Atlas: www.cdc.gov/nchhstp/atlas/

For more information about HIV prevention, visit: www.cdc.gov/hiv/strategy/hihp/ and <http://aids.gov/federal-resources/hiv-aids-programs/prevention-programs/index.html>

For additional state health facts and HIV/AIDS policy fact sheets, visit the Kaiser Family Foundation's website: www.kff.org/hivaids/index.cfm

Contact AIDSVu

More map views, downloadable maps and additional resources are available online at www.aidsvu.org.

For more information about AIDSVu, including information about custom map views and images, please email info@aidsvu.org.

Index

- | | |
|---|--------------|
| • About AIDSVu | Slide 2 |
| • AIDSVu Features | Slides 3-5 |
| • Supporting the National HIV/AIDS Strategy | Slide 6 |
| • AIDSVu Southeastern U.S. Overall Map | Slide 7 |
| • AIDSVu Southeastern U.S. Maps by Race | Slides 8-12 |
| • AIDSVu Southeastern U.S. Maps by Age | Slides 13-14 |
| • AIDSVu Southeastern U.S. Maps by Sex | Slides 15-19 |
| • AIDSVu Social Determinants of Health Maps | Slides 20-24 |
| • Caveats & Limitations of AIDSVu Maps | Slide 25 |
| • Additional Resources | Slide 26 |
| • Contact AIDSVu | Slide 27 |