

Illustrating **HIV/AIDS** in the United States

2015 Update




AIDSVu is a compilation of interactive, online maps that allows users to visually explore the HIV epidemic in the U.S. alongside critical resources such as HIV testing and treatment center locations.

AIDSVu's mission is to make HIV prevalence data widely accessible and locally relevant.

AIDSVu provides users with an intuitive, visual way to connect with complex information about persons living with an HIV diagnosis at national, state and local levels.


National, State, and Local Maps

- Persons living with an HIV diagnosis by state, county, ZIP Code, census tract, and neighborhood
- Persons newly diagnosed with HIV by state and county, year-by-year
- Social determinants of health (e.g., poverty, insurance, education)
- HIV transmission modes



Service Locators

- HIV testing and treatment center locations
- NIH-funded HIV Prevention, Vaccine & Treatment Trials Sites
- Housing Opportunities for People with AIDS



- City and state demographics
- HIV prevalence rate ratios by race/ethnicity
- HIV transmission modes, late diagnoses and mortality data
- HIV/AIDS federal grant funding and programs
- STD quick facts
- Website links for city- and state-level HIV/AIDS resources

Alabama Highlights

[Print](#)

- People living with an HIV or AIDS diagnosis in 2012: 11,979
- New HIV diagnoses in 2013: 622
- Deaths in 2012 due to HIV/AIDS: 333
- 72% of people living with an HIV diagnosis in 2012 were men, 28% were women.
- 64% of people living with an HIV diagnosis in 2012 were black, 3% Hispanic/Latino, and 29% white.
- In 2012, 73% of HIV cases in men were from male-to-male sexual contact, 8% were from injection drug use, and 7% were from injection drug use and male to male sexual contact.
- In 2012, 83% of HIV cases in women were from heterosexual contact, and 15% were from injection drug use.

HIV Testing Site Locator

- CDC National Prevention Information Network
- Search by ZIP Code or city & state

HIV Treatment Site Locator

- Ryan White HIV/AIDS Medical Care Providers
- Search by ZIP Code or city & state

Downloadable Resources

- Slide decks with high-resolution maps
- Data sets

HIV Treatment Site Locator (Ryan White HIV/AIDS Medical Care Providers)

Washington DC

Search

Input your location above to search


Can't find a place near you?

Carl Vogel Center
1012 14th St NW
Washington, DC 20005-3403
Phone: 202-638-0750
0.56 miles

Whitman-Walker Clinic - Elizabeth Taylor Medical Center
1701 14th St NW
Washington, DC 20009-4308
Phone: 202-745-7000
1.22 miles

Unity Health Care, Inc.
850 Delaware Ave SW
Washington, DC 20024-4208
Phone: 202-548-4520
1.66 miles

Christ House
1717 Columbia Rd NW



Map data ©2013 Google - Terms of Use Report a map error



AIDS Vu: Supporting the National HIV/AIDS Strategy



- Prevent new HIV infections
- Improve linkage to prevention, care and treatment
- Reduce HIV-related health disparities



A NATIONAL HIV/AIDS STRATEGY FOR THE UNITED STATES

JULY 2010



Rates of Persons Newly Diagnosed with HIV, by County, 2013





Data not shown * 
Data not released to AIDSvu ** 



* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting. Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Persons Living with an HIV Diagnosis, by County, 2012



Data not shown *
Data not released to AIDS Vu **





* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Black Persons Living with an HIV Diagnosis, by County, 2012




* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of White Persons Living with an HIV Diagnosis, by County, 2012



Data not shown *

Data not released to AIDSvu **





AIDSvu

* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Hispanic/Latino Persons Living with an HIV Diagnosis, by County, 2012




* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.



Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Black & White Persons Living with an HIV Diagnosis, by County, 2012


Black Rates





0 - 50 51 - 70 71 - 94 95 - 129 130 - 203 204 - 331 332 - 480 481 - 679 680 - 1,070 1,071+

Data not shown * 
Data not released to AIDSvu ** 

White Rates



0 - 50 51 - 70 71 - 94 95 - 129 130 - 203 204 - 331 332 - 480 481 - 679 680 - 1,070 1,071+

Data not shown * 
Data not released to AIDSvu ** 

AIDSvu 


* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.



Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Hispanic/Latino & White Persons Living with an HIV Diagnosis, by County, 2012


Hispanic/Latino Rates





0 - 50 51 - 70 71 - 94 95 - 129 130 - 203 204 - 331 332 - 480 481 - 679 680 - 1,070 1,071+

Data not shown * 
Data not released to AIDSvu ** 

White Rates



0 - 50 51 - 70 71 - 94 95 - 129 130 - 203 204 - 331 332 - 480 481 - 679 680 - 1,070 1,071+

Data not shown * 
Data not released to AIDSvu ** 



AIDSvu 

* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Persons Aged 13-24 Living with an HIV Diagnosis, by County, 2012





* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Persons Aged 25-34 Living with an HIV Diagnosis, by County, 2012




* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Persons Aged 35-44 Living with an HIV Diagnosis, by County, 2012




* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Persons Aged 45-54 Living with an HIV Diagnosis, by County, 2012





* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Persons Aged 55 & Older Living with an HIV Diagnosis, by County, 2012





* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Males Living with an HIV Diagnosis, by County, 2012




* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Females Living with an HIV Diagnosis, by County, 2012



0 - 39 40 - 61 62 - 89 90 - 121 122 - 157 158 - 201 202 - 259 260 - 353 354 - 547 548+

Data not shown *

Data not released to AIDSvu **





AIDSvu

* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Persons Living with an HIV Diagnosis by County, Southeastern U.S., 2012




* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Black & White Persons Living with an HIV Diagnosis, by County, Southeastern U.S., 2012


Black Rates



0 - 50 51 - 70 71 - 94 95 - 129 130 - 203 204 - 331 332 - 480 481 - 679 680 - 1,070 1,071+

Data not shown *
Data not released to AIDSvu **

White Rates



0 - 50 51 - 70 71 - 94 95 - 129 130 - 203 204 - 331 332 - 480 481 - 679 680 - 1,070 1,071+

Data not shown *
Data not released to AIDSvu **

AIDSvu 


* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Hispanic/Latino & White Persons Living with an HIV Diagnosis, by County, Southeastern U.S., 2012


Hispanic/Latino Rates



0 - 50 51 - 70 71 - 94 95 - 129 130 - 203 204 - 331 332 - 480 481 - 679 680 - 1,070 1,071+

Data not shown *
Data not released to AIDSvu **

White Rates



0 - 50 51 - 70 71 - 94 95 - 129 130 - 203 204 - 331 332 - 480 481 - 679 680 - 1,070 1,071+

Data not shown *
Data not released to AIDSvu **

AIDSvu


* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.


Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Persons Living with an HIV Diagnosis & Poverty Rates, by County, 2012

Persons Living with an HIV Diagnosis





Poverty Rates




Rates of Persons Living with an HIV Diagnosis & Percent with High School Education, by County, 2012

Persons Living with an HIV Diagnosis





Percent with High School Education




Rates of Persons Living with an HIV Diagnosis & Median Household Income, by County, 2012

Persons Living with an HIV Diagnosis




Median Household Income





Rates of Persons Living with an HIV Diagnosis & Percent of Population without Health Insurance, by County, 2012

Persons Living with an HIV Diagnosis




Population without Health Insurance




Rates of Persons Living with an HIV Diagnosis & Income Inequality (Gini Coefficient), by County, 2012

Persons Living with an HIV Diagnosis






Income Inequality





Percent of Males Living with an HIV Diagnosis for whom Infection is Attributed to Male-to-Male Sexual Contact, by County, 2012



Data not shown * 
Data not released to AIDSvu ** 





* Data are not shown to protect privacy. ** State health department requested not to release data.



Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.



Percent of Males Living with an HIV Diagnosis for whom Infection is Attributed to Male-to-Male Sexual Contact & Injection Drug Use, by County, 2012



Data not shown * 
Data not released to AIDSvu ** 





* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Percent of Males Living with an HIV Diagnosis for whom Infection is Attributed to Injection Drug Use, by County, 2012





* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Percent of Males Living with an HIV Diagnosis for whom Infection is Attributed to Heterosexual Contact, by State, 2012





* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Percent of Females Living with an HIV Diagnosis for whom Infection is Attributed to Injection Drug Use, by County, 2012





* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.


Percent of Females Living with an HIV Diagnosis for whom Infection is Attributed to Heterosexual Contact, by County, 2012



* Data are not shown to protect privacy. ** State health department requested not to release data.

Note. Data include persons with a diagnosis of HIV infection, regardless of the stage of disease at diagnosis, and have been statistically adjusted to account for reporting delays and missing risk-factor information, but not for incomplete reporting.
Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division of HIV/AIDS Prevention.

Rates of Persons Living with an HIV or AIDS Diagnosis, by ZIP Code, Philadelphia, 2012




* Data are not shown to protect privacy because of a small number of cases and/or a small population size.

Note. Data represent persons living with an HIV or AIDS diagnosis in the City of Philadelphia at the end of 2012 and who were reported as of 12/31/2013.


Data Source: Philadelphia Department of Public Health, AIDS Activities Coordinating Office.

Rates of Persons Living with an HIV or AIDS Diagnosis, by ZIP Code & Census Tract, Philadelphia, 2012


Zip Code Rates




0 - 108 109 - 166 167 - 228 229 - 311 312 - 412 413 - 573 574 - 790 791 - 1,201 1,202 - 1,955 1,956+

Data not shown * 

Census Tract Rates



0 - 269 270 - 396 397 - 534 535 - 686 687 - 877 878 - 1,098 1,099 - 1,403 1,404 - 1,949 1,950 - 2,754 2,755+

Data not shown * 

AIDSVu 


* Data are not shown to protect privacy because of a small number of cases and/or a small population size.

Note. Data represent persons living with an HIV or AIDS diagnosis in the City of Philadelphia at the end of 2012 and who were reported as of 12/31/2013.


Data Source: Philadelphia Department of Public Health, AIDS Activities Coordinating Office.

Rates of Black and White Persons Living with an HIV or AIDS Diagnosis, by Census Tract, Philadelphia, 2012


Black Rates




White Rates



Rates of Persons Living with an HIV or AIDS Diagnosis, by Census Tract, Washington, D.C., 2012



Data not shown * 


AIDS**Vu** 

* Data are not shown to protect privacy because of a small number of cases and/or a small population size.

Notes. Data represent persons living with an HIV or AIDS diagnosis in the District of Columbia at the end of 2012 and who were reported as of 12/31/2014. Data Source: District of Columbia Department of Health, HIV/AIDS, Hepatitis, STD and TB Administration.

Rates of Persons Living with an HIV or AIDS Diagnosis, by ZIP Code & Census Tract, Washington, D.C., 2012


ZIP Code Rates



0 - 108 109 - 166 167 - 228 229 - 311 312 - 412 413 - 573 574 - 790 791 - 1,201 1,202 - 1,955 1,956+

Data not shown *

Census Tract Rates



0 - 269 270 - 396 397 - 534 535 - 686 687 - 877 878 - 1,098 1,099 - 1,403 1,404 - 1,949 1,950 - 2,754 2,755+

Data not shown *

AIDS**Vu**


* Data are not shown to protect privacy because of a small number of cases and/or a small population size.

Notes. Data represent persons living with an HIV or AIDS diagnosis in the District of Columbia at the end of 2012 and who were reported as of 12/31/2014. Data Source: District of Columbia Department of Health, HIV/AIDS, Hepatitis, STD and TB Administration.




Rates of Black & White Persons Living with an HIV or AIDS Diagnosis, by Census Tract, Washington, D.C., 2012

Black Rates





White Rates




* Data are not shown to protect privacy because of a small number of cases and/or a small population size.

Notes. Data represent persons living with an HIV or AIDS diagnosis in the District of Columbia at the end of 2012 and who were reported as of 12/31/2014. Data Source: District of Columbia Department of Health, HIV/AIDS, Hepatitis, STD and TB Administration.

Rates of Persons Living with an HIV or AIDS Diagnosis, by ZIP Code, Chicago, 2012



Data not shown * 

AIDS**Vu** 


* Data are not shown to protect privacy because of a small number of cases and/or a small population size.

Notes. Data represent persons living with an HIV or AIDS diagnosis in the City of Chicago at the end of 2012 and who were reported as of 09/30/2014.

Data Source: Chicago Department of Public Health, STI/HIV Division, Surveillance, Epidemiology and Research Section.

Rates of Persons Living with an HIV or AIDS Diagnosis, by ZIP Code & Census Tract, Chicago, 2012


Zip Code Rates



0 - 108 109 - 166 167 - 228 229 - 311 312 - 412 413 - 573 574 - 790 791 - 1,201 1,202 - 1,955 1,956+

Data not shown * ☐

Census Tract Rates



0 - 269 270 - 396 397 - 534 535 - 686 687 - 877 878 - 1,098 1,099 - 1,403 1,404 - 1,949 1,950 - 2,754 2,755+

Data not shown * ☐




* Data are not shown to protect privacy because of a small number of cases and/or a small population size.

Note. Data represent persons living with an HIV or AIDS diagnosis in the City of Chicago at the end of 2012 and who were reported as of 09/30/2014.

Data Source: Chicago Department of Public Health, STI/HIV Division, Surveillance, Epidemiology and Research Section

Rates of Black & White Persons Living with an HIV or AIDS Diagnosis, by Census Tract, Chicago, 2012


Black Rates



0 - 329 330 - 503 504 - 667 668 - 870 871 - 1,030 1,031 - 1,273 1,274 - 1,644 1,645 - 2,223 2,224 - 3,262 3,263+

Data not shown *

White Rates



0 - 329 330 - 503 504 - 667 668 - 870 871 - 1,030 1,031 - 1,273 1,274 - 1,644 1,645 - 2,223 2,224 - 3,262 3,263+

Data not shown *



* Data are not shown to protect privacy because of a small number of cases and/or a small population size.

Notes. Data represent persons living with an HIV or AIDS diagnosis in the City of Chicago at the end of 2012 and who were reported as of 09/30/2014. Data Source: Chicago Department of Public Health, STI/HIV Division, Surveillance, Epidemiology and Research Section.

- Data on AIDS Vu may differ from data released in state and local HIV surveillance reports.
- Maps are inclusive of incarcerated persons and should be interpreted with caution.
- AIDS Vu maps do not reflect undiagnosed cases.
- Caution should be exercised when comparing maps because the scales change when viewing data overall and by race/ethnicity, sex and age group breakdowns.

For maps of state- and county-level data that include HIV and other sexually transmitted infections (STIs), visit the CDC's National Center for HIV/AIDS, Viral Hepatitis, STD and TB Prevention (NCHHSTP) Atlas: www.cdc.gov/nchhstp/atlas/

For more information about HIV prevention, visit: www.cdc.gov/hiv/strategy/hihp/ and <http://aids.gov/federal-resources/hiv-aids-programs/prevention-programs/index.html>

For additional health facts and HIV/AIDS policy fact sheets, visit the Kaiser Family Foundation's website: www.kff.org/hivaids/index.cfm

More map views, downloadable maps and additional resources are available online at www.aidsvu.org.

For more information about AIDSVu, including information about custom map views and images, please email info@aidsvu.org.

- About AIDS Vu Slide 2
- AIDS Vu Features Slides 3-5
- Supporting the National HIV/AIDS Strategy Slide 6
- AIDS Vu National Maps Slides 7-20
- AIDS Vu Southeastern U.S. Maps Slides 21-23
- AIDS Vu Social Determinants of Health Maps Slides 24-28
- AIDS Vu Transmission Category Maps Slides 29-34
- AIDS Vu ZIP Code and Census Tract Maps Slides 35-43
- Caveats & Limitations of AIDS Vu Maps Slide 44
- Additional Resources Slide 45
- Contact AIDS Vu Slide 46